## d his

=> d

1. 5,652,883, Jul. 29, 1997, Computer method and system for conservative-stack and generational heap garbage collection; James L. Adcock, 395/622, 486, 497.02 :IMAGE AVAILABLE:

d his

```
(FILE 'USPAT' ENTERED AT 14:57:34 ON 06 AUG 1997)
L1 134 S 395/607/CCLS
L2 3 S L1 AND INDIRECT
L3 20 S L1 AND VIRTUAL
L4 37 S "RESOURCE LIST"
L5 64 S L1 AND LIST
L6 53 S L1 AND POINTER
```

## => d 1-2

- 1. 5,649,188, Jul. 15, 1997, Electronic filing apparatus which allows information to be retrieved based on a box, a date, or a card associated with the information; Keiichi Nomura, et al., 395/611, 607 :IMAGE AVAILABLE:
- 2. 5,649,182, Jul. 15, 1997, Apparatus and method for organizing timeline data; Carl A. Reitz, 395/607, 609: IMAGE AVAILABLE:

d his

## => d 1-2

- 1. 5,649,188, Jul. 15, 1997, Electronic filing apparatus which allows information to be retrieved based on a box, a date, or a card associated with the information; Keiichi Nomura, et al., 395/611, 607: IMAGE AVAILABLE:
- 2. 5,649,182, Jul. 15, 1997, Apparatus and method for organizing

> d his

(FILE 'USPAT' ENTERED AT 14:57:34 ON 06 AUG 1997)
L1 134 S 395/607/CCLS
L2 3 S L1 AND INDIRECT
L3 20 S L1 AND VIRTUAL

37 S "RESOURCE LIST"

=> d

L4

1. 5,644,405, Jul. 1, 1997, Composite facsimile apparatus having function for acheiving efficient use of limited resources; Kazuhiro Sato, 358/404, 437, 468 :IMAGE AVAILABLE: